

FARNSWORTH & VAN COTT

LAW OFFICES OF

~~VAN COTT, RITER & FARNSWORTH~~

SUITE 1311
WALKER BANK BUILDING
SALT LAKE CITY, UTAH

WALDEMAR VAN COTT, 1900-1940
W. D. RITER, 1906-1922
P. T. FARNSWORTH, JR.
WALDEMAR Q. VAN COTT
GRANT H. BAGLEY
EDGAR C. JENSEN
S. N. CORNWALL
SAM STEPHENSON, JR.

April 25, 1944

International Smelting and Refining Co.,
Kearns Building,
Salt Lake City.

ATT'N Miss Hurst

Gentlemen:

We hand you herewith Abstract of Title covering the Two Pounder, Three Pounder, Red Bird No. 1, Red Bird No. 13 and Panama No. 6 Lodes of the Walker Mining Company last certified to June 7, 1935; also Field Notes covering survey of the above mentioned claims.

Yours very truly,

2
Encl.

DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY No. 6137

Sacramento Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Walker Mining Company

Known As The

TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and
PANAMA No.6 LODES

No. organized Mining District,

Plumas County, California

Sections 29, 30 and 32, Township 25 North, Range 12 East, M.D.M.

Surveyed under instructions dated September 22, 1932.

by James A. Ingols
U. S. Mineral Surveyor.

Claim located (See back of this sheet)

Survey commenced October 10, 1932.

Survey completed October 26, 1932.

Address of claimant's attorneys: Van Cott Riter & Farnsworth,
Walker Bank Building,
Salt Lake City, Utah.

DATES OF AMENDED LOCATIONS.

September 14, 1932

Copied from the Anasconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

NAME	LOCATED	Amended
Two Pounder Lode	July 1, 1928	September 14, 1932
Three Pounder Lode	July 1, 1928	September 14, 1932
Red Bird No.1 Lode	August 15, 1926	September 14, 1932
Red Bird No.13 Lode	May 30, 1929	September 14, 1932
Panama No.6 Lode	May 30, 1929	September 14, 1932

Copied from the Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

BEFO VOLES

ROBERT WATSON IN 1928

at the end of the line

and the end of the line

1928

NOTICE OF QUARTZ MINING LOCATION

(AMENDED)

#####

NOTICE IS HEREBY GIVEN that the undersigned corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

TWO POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

11.9 feet in a southerly direction and
1486.15 feet in a northerly direction
together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit.-

Beginning at the Discovery Monument:-

Thence Southerly 11.9 feet to the South End Center stake

Thence Southwesterly 315.73 feet to the S.W. Corner. Identical with Cor. Nos. 4-2 Sur. No. 5582A Piute No. 1 and Digger lodes

Thence Northerly 1498.05 feet to the N.W. Corner Identical with Cor. No. 1 Sur. No. 5582A Piute No. 1 lode

Thence Northeasterly 315.73 feet to the North End Center Stake

Thence Northeasterly 315.48 feet to the N.E. Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southerly 1498.05 feet to the S.E. Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southwesterly 315.48 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928 and recorded July 25th 1928 in Volume 17, Page 303 (Quartz) in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A.D. 1932.

Walker Mining Company
by H. A. Geisendorfer, Agent.

Witnesses.
W. F. Toole
H. Morstang

No. 547, Recorded at request of Walker Mining Co. by
J. A. Ingols, September 15, 1932 at 32 min. past 10
A. M.

M. Ella Peter, Recorder.


State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of
Plumas, State of California, do hereby certify that I
have compared the foregoing copy of an Amended Notice of
Quartz Mining Location.

Two Pounder Lode- Walker Mining Company,
Locator.

as of record in Volume 19, Quartz Claims, and of the
endorsements thereupon, with the original records of
the same remaining in this office, and that the same
are correct transcripts therefor, and of the whole of
said original records.

Witness my hand and official seal this 15 day of
Sept. 1932.



M. Ella Peter RECORDER.
by..... DEPUTY RECORDER

Copied from the Anacosta Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

NOTICE OF QUARTZ MINING LOCATION

AMENDED

#####

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

THREE POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

10.32 feet in a Southerly direction and
1487.73 feet in a Northerly direction
together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, To-wit:-

Beginning at the Discovery Monument:-

Thence Southerly 10.32 feet to the South End Center Stake

Thence Southwesterly 315.73 feet to the S.W. Corner, Identical with S.E. Cor. Two Pounder Lode

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Northerly 1498.05 feet to the N.W. Corner.

Identical with N.E. Cor. Two Pounder Lode

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Northeasterly 315.73 feet to the North End Center Stake

Thence Northeasterly 315.73 feet to the N.E. Corner.

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southerly 1498.05 feet to the S.E. Corner.

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southwesterly 315.73 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928 and recorded July 25th. 1928 in Volume 17, Page 303 (Quartz) in the Office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A.D. 1932

Walker Mining Company
by H. A. Geisendorfer, Agent

Witnesses
W. F. Toole
H. Morstang

No. 548 Recorded at request of Walker Mining Co. By J. A. Ingols, September 15, 1932 at 33 min. past 10 A. M.


M. Ella Peter, Recorder.

State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Three Pounder Lode - Walker Mining Company, locator as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.



M. Ella Peter RECORDER
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

#####

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD No.1 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running 10.8 feet in a Northerly direction and 1488.79 feet in a Southerly direction together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-

Thence Northerly 10.8 feet to the North End Center Stake

Identical with the South End Center Stake Two Pounder lode

Thence Northeasterly 315.48 feet to the N.E. Corner. Identical with S.E. Cor. Two Pounder lode and S.W. Cor. Three Pounder lode

Thence Southerly 1499.59 feet to S.E. Corner.

Identical with Cor. No. 2 Sur. No. 5582A Panama No. 1 lode

Thence Southwesterly 315.48 feet to South End Center Stake

Thence Southwesterly 315.73 feet to S.W. Corner.

Identical with Cor. No. 1 Sur. No. 4865 Rob Extension lode and with Cor. Nos. 1-1 Sur. No. 5582A Digger and Panama No. 1 lodes.

Thence Northerly 1499.59 feet to N.W. Corner.

Identical with Cor. Nos. 4-2 Sur. No. 5582A Piute No. 1 and Digger lodes and with S.W. Cor. Two Pounder lode.

Thence Northeasterly 315.73 feet to North End Center Stake, the place of closure.

This being the same lode located August 15th 1926, and recorded September 7th. 1926 in Volume 17, Page 59, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September, A. D. 1932.

Walker Mining Company
by H. A. Geisendorfer, Agent.

Witnesses.
W. F. Toole
H. Morstang

No. 549, Recorded at request of Walker Mining Co. by
J. A. Ingols, September 15, 1932 at 34 min. past 10
A. M.


M. Ella Peter, Recorder.

State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of
Plumas, State of California, do hereby certify that I
have compared the foregoing copy of an Amended Notice
of Quartz Location

Red Bird No. 1 Lode - Walker Mining Company, locator
as of record in Volume 19, Quartz Claims, and of the
endorsements thereupon, with the original records of
the same remaining in this office, and that the same
are correct transcripts therefor, and of the whole of
said original records.

Witness my hand and official seal this 15 day of
Sept. 1932.



M. Ella Peter RECORDER.
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

#####

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 13 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

13.93 feet in a Northerly direction and
1485.66 feet in a Southerly direction
together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-

Thence Northerly 13.93 feet to the North End Center Stake

Identical with the South End Center Stake Three Pounder lode.

Thence Northeasterly 315.73 feet to the N.E. Corner. Identical with S.E. Cor. Three Pounder lode.

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southerly 1499.59 feet to the S.E. Corner.

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southwesterly 315.73 feet to the South End Center Stake

Thence Southwesterly 315.73 feet to the S.W. Corner. Identical with Cor. No.2 Sur. No.5582A Panama No.1 lode.

Thence Northerly 1499.59 feet to the N.W. Corner. Identical with S.E. Cor. Two Pounder lode and S.W. Cor. Three Pounder lode.

An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Northeasterly 315.73 feet to the North End Center Stake the place of closure.

This being the same lode located May 30th 1929 and recorded June 22nd. 1929 in Volume 18, Page 2, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A. D. 1932

Witnesses.
W. F. Toole
H. Morstang

Walker Mining Company.
by H. A. Geisendorfer, Agent.

No. 550 Recorded at request of Walker Mining Co. by
J. A. Ingols, September 15, 1932 at 35 min. past 10 A.M.

M. Ella Peter, Recorder.

State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Red Bird No.13 Lode - Walker Mining Company, locator
as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932



M. Ella Peter RECORDER.
by.....DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION.

AMENDED

#####

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and the Regulations thereunder, and with the local customs, laws and regulations, has located and hereby claims under the name of

PANAMA NO.6 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

17.7 feet in a Southerly direction and
1451.73 feet in a Northerly direction
together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows; to-wit:-

Beginning at the Discovery Monument.-

Thence Southerly 17.7 feet to the South End Center Stake

Thence Southwesterly 315.73 feet to the S.W. Corner. Identical with Cor. No.3 Sur. No.5582A Panama No.1 lode

Thence Northerly 1469.43 feet to the N.W. Corner. Identical with Cor. No.2 Sur. No.5582A Panama No.1 lode and with S.E. Cor. Red Bird No.1 lode and with S.W. Cor. Red Bird No.13 lode

Thence Northeasterly 315.73 feet to North End Center Stake Identical with South End Center Stake Red Bird No.13 lode

Thence Northeasterly 315.73 feet to N.E. Cor. Identical with S.E. Cor. Red Bird No.13 lode An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southerly 1469.43 feet to the S.E. Cor. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.

Thence Southwesterly 315.73 feet to the South End Center Stake the place of closure.

This being the same lode located May 30th 1929 and recorded June 22nd. 1929 in Volume 18, Page 2, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A. D. 1932.

Witnesses:-
W. F. Toole
H. Morstang

Walker Mining Company.
by H.A. Geisendorfer, Agent.

No. 551 Recorded at request of Walker Mining Co. by
J. A. Ingols, September 15, 1932 at 36 min. past 10 A.M.


M. Ella Peter, Recorder.

State of California,)
County of Plumas,) ss.

I, M. Ella Peter, County Recorder of the County of
Plumas, State of California, do hereby certify that I
have compared the foregoing copy of an Amended Notice
of Quartz Mining Location

Panama No.6 Lode - Walker Mining Company, locator
as of record in Volume 19, Quartz claims, and of the
endorsements thereupon, with the original records of
the same remaining in this office, and that the same
are correct transcripts therefor, and of the whole of
said original records.

Witness my hand and official seal this 15 day of
Sept., 1932.



M. Ella Peter RECORDER.
by....DEPUTY RECORDER

SURVEY No. 6137.

Feet

Mineral Survey No. 6137 was made with a Buff and Berger Transit No. 2369, with horizontal limb 5.00 ins. diam., having two double opposite verniers, and full vertical circle 5.00 ins. diam., having one double vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order. A.M. and p.m. altitude observations of the sun for azimuth were made each day when conditions permitted, the details of two of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridians thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a steel tape 500 feet in length, graduated every foot, with the first and last foot graduated to tenths and hundredths; a steel tape 100 feet in length and a steel tape 50 feet in length, each graduated to feet, tenths and hundredths; all tapes have been checked, and found correct.

All lines and connections of this survey were run by traverse methods, to avoid cutting valuable timber, as shown by the calculation sheets herewith submitted.

The magnetic variation is given at each corner of the survey.

RED BIRD No. 1 LODE

Beginning at Cor. No. 1 of the Red Bird No. 1 Lode, which is identical with Cor. No. 1 of Sur. No. 4865 Rob Extension lode, claimant herein, and with Cor. Nos. 1-1 of Sur. No. 5582 A, Digger and Panama No. 1 lodes, claimant herein.

A fir post, 4 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. R. EX-1-4865, 1-PM1-D-5582A, and which I mkd. RB1-1-6137; from which

The cor. of secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M. D. M., bears S. 61° 40' E., 466.05 ft. dist.; a porphyry stone, 6x8 ins., 16 ins. above ground, and in a mound of stone, markings not legible, with two bearing trees marked by the Forest Service, indicating and identifying the corner.

A fir, 12 ins. diam., bears North 12.17 ft. dist., mkd. 1-PM1-1-D-5582A-BT, and which I mkd. RB1-1-6137.

A fir, 42 ins. diam., bears S. 60° 03' E., 27.23 ft. dist., mkd. 1-PM1-1-D-5582A-BT, and which I mkd. RB1-1-6137.

Thence N. 14° 18' 15" W.

Var. 16° 47' E.

1,305

Creek bed, dry, course north westerly.

1,499.59

Cor. No. 2, which is identical with Cor. Nos. 2-4 of Sur. No. 5582A Digger and Piute No. 1 lodes, respectively, claimant herein.

A spruce post, 4 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. 2-D-4-P1-5582A, and which I mkd. RB1-2-TP-2-6137; from which

A fir, 16 ins. diam., bears N. 81° W., 17.33 ft. dist., mkd. 2-D-4-P1-5582A-BT, and which I mkd. RB1-2-TP-2-6137.

SURVEY No. 6137.

Feet

A fir, 36 ins. diam., bears N.17°44'W., 60.55 ft. dist., mkd. 2-D-4-P1-5582A-BT, and which I mkd. RB1-2-TP-2-6137.

Thence N.56°56'E.

Var. 18°50'E.

230 Road, bears northwesterly and southeasterly.

631.21 Cor. No. 3.

Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 3, with brass cap mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13; from which

A fir, 30 ins. diam., bears N.54°47'W., 52.51 ft. dist., mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13-BT.

A fir, 42 ins. diam., bears S.45°31'W., 63.46 ft., dist., mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13-BT.

Thence S.14°18'15"E.

Var. 18°52'E.

1,499.59 Cor. No. 4, which is identical with Cor. No.2 of Sur. No.5582A Panama No.1 lode.

Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 2 of Sur. No. 5582A Panama No.1 lode and Cor. No. 4 Red Bird No.1 lode, with brass cap mkd. 2-PM1-5582A-4-1-1-6137-RB1-RB13-P6; from which

A fir, 16 ins. diam., bears S.60°04'W., 57.54 ft. dist., mkd. 2-PM1-5582A-BT, and which I mkd. 4-1-1-6137-RB1-RB13-P6.

A fir, 14 ins. diam., bears S.47°20'W., 57.18 ft. dist. mkd. 2-PM1-5582A-BT, and which I mkd. 4-1-1-6137-RB1-RB13-P6.

Thence S.56°56'W.

Var. 18°38'E.

120 Road, bears northerly and southerly.

631.21 Cor. No. 1, and palce of beginning.

TWO POUNDER LODE

Beginning at Cor. No. 1 of the Two Pounder Lode, which is identical with Cor. No.3 of the Red Bird No.1 lode of this survey; from which

The ¼ sec. cor. of secs. 29 and 30, T.25 N., R.12 E., M.D.M., bears N.21°57'30"E., 684.61 ft. dist.; a porphyry stone, 7x9 ins.; 12 ins. above ground, and in a mound of stone, markings not legible, and with two bearing trees, marked by the Forest Service, indicating and identifying the corner.

Thence S.56°56'W.

401.21 Road, bears northwesterly and southeasterly.

631.21 Cor. No. 2, which is identical with Cor. No. 2 of the Red Bird No.1 lode of this survey, and with Cor. Nos. 2-4 of Sur. No. 5582A Digger and Piute No.1 lodes, respectively.

SURVEY No. 6137

Feet	Thence N.14°54'W.
944.32	Intersect line 4-1 Sur. No. 5948 September Morn No. 1 lode, claimant herein, at a point from which Cor. No.1 bears N.56°56'E., 233.9 ft. dist.
1,498.05	<p>Cor. No. 3, which is identical with Cor. No. 1 of Sur. No. 5582A Piute No. 1 lode; a fir post, 5 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. 1-P1-5582A, and which I mkd. 3-6137-TP; from which</p> <p>Cor. No. 1 Sur. No. 5948 September Morn No. 1 lode bears S.39°42'30"E., 529.68 ft. dist.</p> <p>A pine, 50 ins. diam., bears S.61°56'E., 53.61 ft. dist., mkd. 1-P1-5582A-BT, and which I mkd. 3-6137-TP.</p> <p>A fir, 22 ins. diam., bears N.62°15'W., 42.01 ft. dist., mkd. 1-P1-5582A-BT, and which I mkd. 3-6137-TP.</p>
	<p>Thence N.56°56'E. Var.18°55'E.</p>
35	Road, bears northwesterly and southeasterly.
510.6	Intersect line 1-2 Sur. No. 5948, September Morn No. 1 lode at a point from which Cor. No. 1 bears S.7°26'W., 691.9 ft. dist.
631.21	<p>Cor. No. 4.</p> <p>Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-3-6137-TP-TRP; from which</p> <p>A fir, 10 ins. diam., bears N.16°24'W., 33.97 ft. dist., mkd. 4-3-6137-TP-TRP-BT.</p> <p>A fir, 36 ins. diam., bears N.43°48'W., 45.04 ft. dist., mkd. 4-3-6137-TP-TRP-BT.</p>
	<p>Thence S.14°54'E. Var.18°50'E.</p>
1,498.05	Cor. No. 1, and place of beginning.
	THREE POUNDER LODE.
	Beginning at Cor. No. 1 of the Three Pounder Lode, where I-
	Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No.1, with brass cap mkd. 1-3-6137-TRP-RB13; from which
	The ¼ sec. cor. of secs. 29 and 30 bears N.43°15'W., 398.71 ft. dist.; previously described.
	A fir, 36 ins. diam., bears N.57°42'W., 34.58 ft. dist., mkd. 1-3-6137-TRP-RB13-BT.
	A fir, 20 ins. diam., bears S.29°51'W., 28.75 ft. dist., mkd. 1-3-6137-TRP-RB13-BT.
	<p>Thence S.56°56'W. Var.19°43'E.</p>
631.46	Cor. No. 2, which is identical with Cor. Nos. 3-1-2 Red Bird No.1, Two Pounder and Red Bird No. 13 lodes, respectively, of this survey.

SURVEY No. 6137.

Feet	
1,498.05	<p>Thence N.14°54'W.</p> <p>Cor. No. 3, which is identical with Cor. No. 4 Two Pounder lode of this survey.</p> <p>Thence N.56°56'E.</p>
410	Creek, course northwesterly.
631.46	<p>Cor. No. 4.</p> <p>Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-6137-TRP; from which</p> <p>A fir, 32 ins. diam., bears S.47°51'E., 11.55 ft. dist., mkd. 4-6137-TRP- BT.</p> <p>A fir, 12 ins. diam., bears S.31°14'W., 57.56 ft. dist., mkd. 4-6137-TRP-BT.</p>
300	<p>Thence S.14°54'E.</p> <p>Creek, course northwesterly.</p> <p>Var.19°56'E.</p>
1,498.05	<p>Cor. No. 1, and place of beginning.</p> <p>RED BIRD No. 13 LODE.</p> <p>Beginning at Cor. No. 1 of the Red Bird No. 13 Lode, which is identical with Cor. No. 4 Red Bird No.1 lode of this survey and Cor. No. 2 of Sur. No. 5582A Panama No. 1 lode; from which</p> <p>The cor. of secs. 29, 30, 31 and 32 bears S.11°51'30" W., 577.92 ft. dist.; previously described.</p>
1,499.59	<p>Thence N.14°18'15"W.</p> <p>Cor. No. 2, which is identical with Cor. Nos. 3-1-2 of the Red Bird No.1, Two Pounder and Three Pounder lodes, respectively, of this survey.</p> <p>Thence N.56°56'E.</p>
631.46	<p>Cor. No. 3, which is identical with Cor. No. 1 of the Three Pounder lode of this survey.</p> <p>Thence S.14°18'15"E.</p>
1,499.59	<p>Cor. No. 4.</p> <p>Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-2-6137-RB13-P6; from which</p> <p>A fir, 24 ins. diam., bears S.8°23'W., 40.6 ft. dist.</p>

SURVEY No. 6137

Feet

PANAMA No. 6 LODE.

Beginning at Cor. No. 1 of the Panama No. 6 Lode, which is identical with Cor. Nos. 4-1 Red Bird No.1 and Red Bird No.13 lodes, respectively, of this survey, and Cor. No. 2 of Sur. No. 5582A Panama No.1 lode.

Thence N.56°56'E.

631.46 Cor. No. 2, which is identical with Cor. No.4 Red Bird No. 13 lode of this survey.

Thence S.14°11'42"E.

1,469.43 Cor. No. 3.

Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No.3, with brass cap mkd. 3-6137-P6; from which

A fir, 24 ins. diam., bears S.18°33'W., 14.96 ft. dist., mkd. 3-6137-P6-BT.

A fir, 14 ins. diam., bears N.25°34'E., 7.71 ft. dist., mkd. 3-6137-P6-BT.

Thence S.56°56'W.

Var.17°23'E.

555 Road, bears northerly and southerly.

631.46 Cor. No. 4, which is identical with Cor. No. 3 of Sur. No. 5582A Panama No. 1 lode.

A spruce post, 4x5 ins., 24 ins. above ground, and in a mound of stone, mkd. 3-PM1-5582A, and which I mkd. 4-6137-P6; from which

Cor. No. 1 of Sur. No. 5582A Panama No.2 lode, claimant herein, bears S.57°03'W., 61.99 ft. dist.

A fir, 10 ins. diam., bears N.39°04'W., 9.1 ft. dist. mkd. 3-PM1-5582A-BT., and which I mkd. 4-6137-P6.

A fir, 32 ins. diam., bears S.28°59'E., 41.86 ft. dist., mkd. 3-PM1-5582A-BT, and which I mkd. 4-6137-P6.

Thence N.14°11'42'W.

Var.17°51'E.

290 Road, bears northwesterly and southeasterly.

1,469.43 Cor. No. 1, and place of beginning.

LODE LINES.

The presumed course of the vein of each of the several locations embraced in this survey, counted from the respective points of discovery, is as follows:

Red Bird No. 1 lode, N.14°18'15"W., 10.8 ft.; and S.14°18'15"E., 1488.79 ft.

Two Pounder lode, S.14°54'E., 11.9 ft.; and, N.14°54'W., 1486.15 ft.

Three Pounder lode, S.14°54'E., 10.32 ft.; and, N.14°54'W., 1487.73 ft.

SURVEY No. 6137

Red Bird No. 13 lode, N.14°18'15"W., 13.93 ft.; and, S.14°18'15"E., 1485.66 ft.

Panama No. 6 lode, S.14°11'42"E., 17.7 ft.; and, N.14°11'42"W., 1451.73 ft.

AREAS.

	Acres.
Total area, Red Bird No. 1 lode.....	20.576
Total area, Two Pounder lode.....	20.626
Area in conflict with-	
Sur. No. 5948 September Morn No. 1 lode.....	4.497
Total area, Three Pounder lode.....	20.634
Total area, Red Bird No. 13 lode.....	20.584
Total area, Panama No. 6 lode.....	20.157

LOCATION.

This survey is located in the NW $\frac{1}{4}$ and SW $\frac{1}{4}$ sec. 29, NE $\frac{1}{4}$ and SE $\frac{1}{4}$ sec. 30, and NW $\frac{1}{4}$ sec. 32, T.25 N., R.12 E., M. D. M.

The survey of the several lodes as stated herein is identical with the respective amended location as marked on the ground.

EXPENDITURE OF \$500.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than \$500, and that said improvements consist of:

- No. 1. The discovery point of the Red Bird No. 1 lode, which is on the lode line 10.8 ft. from a point on line 2-3, 315.73 ft. from Cor. No. 2.
No value.
- No. 1. The discovery point of the Two Pounder lode, which is on the lode line 11.9 ft. from a point on line 1-2, 315.48 ft. from Cor. No. 1.
No value.
- No. 1. The discovery point of the Three Pounder lode, which is on the lode line 10.32 ft. from the middle of line 1-2.
No value.
- No. 1. The discovery point of the Red Bird No. 13 lode, which is on the lode line 13.93 ft. from the middle of line 2-3.

SURVEY No. 6137.

A tunnel 4x6 ft. in size, the portal of which bears N.39°33'W., 639.1 ft. from Cor. No. 2 Two Pounder lode running S.88°48'E., 98.6 ft. to pt. A; thence N.88°21'E., 44.9 ft. to pt. B at face. At pt. B is a two compartment, timbered incline shaft 7x11 ft. in size, running on a dip of 45°, N.88°15'E., 100.7 ft. to pt. C; thence N.89°36'E., 175.7 ft. to pt. D; thence N.89°37'E., 202.8 ft. to point E on the 7th level. At pt. E, a drift 8x10 ft. in size, runs N.11°14'W., 95.2 ft. to pt. F; thence S.11°25'W., 68 ft. to pt. G; thence S.12°38'W., 20 ft. to pt. H; thence S.0°54'W., 50.06 ft. to pt. I.

Value of incline shaft and drift, \$19,365.

The incline shaft and drift in this improvement were constructed for the development of the five lodes of this survey, all of which being within range of benefit of said improvement.

The surface rises rapidly to the east, and more gradually to the southeast, from the portal of the tunnel which, with the incline shaft, drift and laterals, form an integral part of the main operating and ventilating system of the claimant's contiguous property; and through, and by means of, that system is afforded the most practical and economical means of developing each of said lodes at depth. The geological structure is that of schist, cut by fissures running northerly and southerly, and dipping easterly. The ore bodies throughout the mine are in this schist and, except where outcrops occur, the schist is covered with a lava flow.

From the foot of the incline shaft, a winze extends from the 7th level to the 10th level, approximately 500 ft. lower, with many feet of lateral drifts and crosscuts. The mine assay and development maps, and the monthly progress reports, show that these drifts and crosscuts extend nearly to the east side line of the Red Bird No. 13 lode of this survey, thence southerly several hundred feet, into said lode; the assay values being such as to warrant the claimant in continuing that method of developing the locations embraced in this survey. At the time of this survey, owing to the temporary closure of the mine, this winze and its laterals were filled with water to the 7th level.

Five hundred dollars or over has been expended in the incline shaft and drift in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed.

The tunnel, valued at \$1500, was credited to Sur. No. 5582A Piute lode, and therefore is not included in the valuation of the common improvement.

The incline shaft was driven as a raise from the 7th level, or main haulage level, of the claimant's contiguous property, which latter is partially described hereinafter under "Other Improvements".

The first, or lower, 130.5 ft. of the raise, valued at \$4567.50, were driven in May and June, 1928, for the purpose of developing the Red Bird No. 1 lode of this survey, to which its value is credited.

The remaining 348.7 ft. of said raise, valued at \$12,197.50, were driven between July 1 and December 1, 1928, for the purpose of developing the Red Bird No. 1, Two Pounder and Three Pounder lodes of this survey, and an undivided one-third interest is therefore credited to each.

The last 130 ft. of the drift, valued at \$2600, were driven during July and August, 1930, for the benefit of

SURVEY No. 6137.

the Two Pounder, Three Pounder, Red Bird No. 1, Red Bird No.13, and Panama No.6 lodes of this survey, and therefore an undivided one-fifth interest is credited to each.

Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

OTHER IMPROVEMENTS.

A drift which runs from pt. I of the above described common improvement, S.4°01'W., 82.13 ft., thence S.10°E., 25.95 ft., thence South 188.5 ft., thence S.24°49'W. 22.58 ft., thence South 310.9 ft., thence southerly on the 7th or main haulage level to portal.

Claimant herein.

A drift which runs from pt. E of the above described common improvement, N.83°45'E., 27.0 ft. to Sta. 1, thence N.0°42'E., 80.96 ft., thence N.0°24'E., 99.18 ft., thence N.31°59'W., 34 ft., thence N.2°15'W., 75.82 ft., thence N.7°15'E., 52.99 ft., thence N.22°58'E., 56.22 ft., thence N.15°E., 43.2 ft. to face.

Claimant herein.

A drift which runs from Sta. 1 in the preceding improvement, S.16°36'E., 63.4 ft., thence S.2°34'E., 102.6 ft., thence S.25°42'E., 24.16 ft., thence S.13°10'E., 48.37 ft., thence S.23°12'W., 31.11 ft., thence S.28°19'E., 48.43 ft., thence S.14°W., 70.83 ft., thence S.8°09'W. 64.24 ft., thence S.43°15'E., 55.07 ft., thence S.35°41'E., 19.19 ft., thence S.22°03'E., 34.61 ft. to face.

Claimant herein.

OTHER CORNER DESCRIPTIONS.

Sur. No. 5582A Panama No.1 lode: Cor. No.2 is a spruce post, 4x5 ins., 24 ins. above ground, mkd. 2-PM1-5582A, badly rotted at the ground line and very unstable, I replaced it with the iron pipe previously described, with the original post alongside. Line 1-2 was found to be N.56°56'E., 631.21 ft., instead of N.57°23'E., 632.57 ft. as approved. Line 2-3 was found to be S.14°11'42"E., 1469.43 ft., instead of S.14°09'E., 1467.9 ft. as approved.

Sur. No. 5582A Digger lode: Line 1-2 was found to be N.14°18'15"W., 1499.59 ft., instead of N.14°12'W., 1499.6 ft. as approved.

Sur. No. 5582A Piute No.1 lode: Line 4-1 was found to be N.14°54'W., 1498.05 ft., instead of N.14°09'W., 1500 ft. as approved.

Sur. No. 5948 September Morn No.1 lode: Cor. No.1 is a galvanized iron pipe, 1½ ins. diam., 18 ins. above ground and in a mound of stone, with brass cap mkd. SML-1-5948. Cor. No.2 is a galvanized iron pipe, 1½ ins. diam., 18 ins. above ground, and in a mound of stone, with brass cap mkd. SML-2-5948. Cor. No.4 is a galvanized iron pipe 1½ ins. diam., 18 ins. above ground, and in a mound of stone, with brass cap mkd. SML-4-5948. I find line 1-2 to be N.7°26'E., 1506.96 ft., instead of N.7°E., 1500 ft.

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by James A. Ingols

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Walker Mining Company

known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13
and PANAMA No.6 LODES
and showing the respective capacities in which they acted.

Hans Morstang, *Chainman.*

Howard Morstang, *Chainman.*

Assman.

Flagman.

FINAL OATHS OF ASSISTANTS

We, Hans Morstang

and Howard Morstang, do solemnly swear that we assisted

James A. Ingols, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Walker Mining Company

known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13
and PANAMA No.6 LODES

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Glendale, California.

Hans Morstang, *Chainman.*

Howard Morstang, *Chainman.*

Assman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 4th

day of November, 1932.

Alfred N. Waite

Notary Public

My commission expires
March 27, 1934.

Copied from the Anasconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATH OF U. S. MINERAL SURVEYOR

I, James A. Ingols, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Glendale, California, dated September 22, 1932,
I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of
Walker Mining Company, known as the
TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6
LODES
situate in No. organized Mining District,
Plumas County, California, in Sections
29, 30 and 32, Township No. 25 N., Range No. 12 E. of the M.D.M.
and designated as Survey No. 6 1 3 7, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copies
the location certificates, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimant or its
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.

James A. Ingols

(U. S. Mineral Surveyor.)

Subscribed and sworn to by the said James A. Ingols
U. S. Mineral Surveyor, before me Alfred N. Waite
a Notary Public this Fourth
day of November, 1932.

Alfred N. Waite

Notary Public

My commission expires
March 27, 1934



Copied from the Anasconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Glendale, California.

December 31, 1932.


I, Office Cadastral Engineer Glendale, California.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Walker Mining Company known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES situate in No organized Mining District Plumas County California in Sections 29, 30, 32 Township No. 25 North, Range No. 12 East, M.D.M., and designated as Survey No. 6 1 3 7, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or its grantors, and that said improvements consist of an incline shaft and drift; Value, \$19,365.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Sacramento, California, is correct and in conformity with the foregoing Field Notes.



Office Cadastral Engineer.

ABSTRACT OF TITLE

TO

Those certain Quartz Mining Claims
situate in the County of Plumas,
State of California, and being
usually known as and called the

TWO POUNDER LODE

THREE POUNDER LODE

RED BIRD NO. 1 LODE

RED BIRD NO. 13 LODE

PANAMA NO. 6 LODE

D A T E D

Quincy, California,

June 7th. 1935.

COMPILED BY

PLUMAS COUNTY ABSTRACT COMPANY

L. L. CLOUGH, Mgr.

QUINCY, CALIFORNIA

ABSTRACT OF TITLE

to

Those certain Quartz Mining
Claims situate in the County
of Plumas, State of Calif-
ornia, and being usually known
as and called the

TWO POUNDER LODE

THREE POUNDER LODE

RED BIRD NO. 1 LODE

RED BIRD NO. 13 LODE

PANAMA NO. 6 LODE

D A T E D

Quincy, California,

June 7th. 1935.

Copied from the Anasazi Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

NOTICE OF LOCATION

Notice is hereby given, that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen Hundred Feet in length by 600 feet in width, on this the

TWO POUNDER

Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated in Indian Township in the No Organized Mining District, Plumas County, State of California, the location being described and marked on the ground as follows, to wit:

Beginning 10 feet S 14° 09' E of this location (Discovery) Monument, at the South end center monument, and running thence S 57° 23' W. 316.3 feet to SW corner monument No. 1; thence N 14° 09' W 1500 feet to NW corner monument No. 2; thence N 57° 23' E 316.3 feet to North end center monument; thence N 57° 23' E 316.3 feet to NE corner monument No. 3; thence S 14° 09' E 1500 feet to SE corner monument No. 4; thence S 57° 23' W 316.3 feet to place of beginning; including all Dips, Spurs, Angles and Variations. The south end line of this claim joins the north end line of the One Pounder Claim. The east side line of Piute No. 1 Claim of the Walker Mining Co. joins the west side line of this claim. The above described Mining Claim shall be known as the TWO POUNDER.

Located this 1st day of July, 1928.

Names of Locators: A. B. Hardwick.

Witness: J. A. Finlay.

No. 793 Recorded at request of A. B. Hardwick, July 25, 1928, at
23 min. past 10 A. M. Compared.

M. Ella Peter Recorder

(In Vol. 17 of QUARTZ CLAIMS, at Page 303)

NOTICE OF LOCATION.

Notice is hereby given that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen Hundred feet in length by 600 feet in width, on this the

THREE POUNDER

Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated about 1/2 mi. south of Section corner 19-20-29-30-T 25 N. -R 12 E in the no organized Mining District, Plumas County, State of Calif, the location being described and marked on the ground as follows, to wit:

Beginning 10 feet S 14° 09' E. of this location (Discovery) Monument, at the south end center monument, and running thence S 57° 23' W 316.3 feet to SW corner monument No. 1; thence N. 14° 09' W 1500 feet to NW corner monument No. 2; thence N 57° 23' E 316.3 feet to North end center monument; thence N 57° 23' E 316.3 feet to NE corner monument No. 3; thence S 14° 09' E 1500 feet to SE corner monument No. 4; thence S 57° 23 W 316.3 feet to place of beginning; including all Dips, Spurs, Angles and Variations.

The West side line of this claim joins the east side line of the Two Pounder Claim. The above described Mining Claim shall be known as the THREE POUNDER

Located this 1st day of July 1928

Names of Locators: A. B. Hardwick

Witness: J. A. Finlay

Copied from the Annotated Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

No. 794 Recorded at request of A. B. Hardwick July 25, 1928, at
24 min. past 10 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 17 of QUARTZ CLAIMS, at Page 303)

A. B. Hardwick and Fay Hardwick, his) D E E D
 wife, of Salt Lake City, Utah,)
 to)
 Walker Mining Company, a corporation) Dated:- Aug. 8th. 1928.
 of Arizona duly authorized to do and) Consd., \$10.00
 doing business in the State of Calif-)
 ornia.) Vol. 62 Page 32

" Grant, bargain, sell, remise, release and forever Quitclaim "

All those certain rights to land, mining claims and property containing gold, silver, lead, copper and other precious metals, situate in no organized Mining District, Plumas County, State of California, viz:

Two Pounder and Three Pounder

(Now follows mention of Mining Claims not included under search.)

said above named mining claims being more fully described in the notices of location thereof, which said notices of location were duly recorded in the Office of the County Recorder of Plumas County, California, on July 25, 1928, in Volume 17 of Quartz Claims pages 302 to 318 inclusive.

Together with all metals, ores, gold and silver bearing quartz, rock and earth therein; and all dips and spurs, rights, privileges and franchises, tenements, hereditaments and appurtenances thereto incident or belonging, or therewith used and enjoyed, and all the estate, right, title, interest, property, claim and demand whatsoever, legal and equitable, as well in possession as in expectancy, of the part_ of the first part, of, in or to said premises, and every part thereof.

To have and to hold the same unto the party of the second

part, its successors and assigns forever.

And the said Fay Hardwick hereby relinquishes all her rights of survivorship, dower and substitute for dower, and grants and releases all interest and estates whatsoever, whether vested or inchoate and forever bars the same.

In Witness Whereof, etc.

A. B. Hardwick (Seal)

Fay Hardwick. (Seal)

Signed, Sealed and Delivered in

Presence of Audrey N. Atkins

B. R. Howell.

ACKNOWLEDGED:-

Aug. 8th. 1928.

A. B. Hardwick and Fay Hardwick, his wife, acknowledged before Audrey N. Atkins, a Notary Public in and for Salt Lake City, Utah. (Cert. of acknowledgment, " STATE OF CALIFORNIA " form, in usual form and sealed.) " Commission expires Sept. 15, 1929. "

RECORDED:-

July 3rd. 1929.

At request of Plumas County Abstract Co. in Vol. 62 of DEEDS, at Page 32, Plumas Co. Cal. Records.

NOTE BY ABSTRACTERS:-

A Certified Copy of the Articles of Incorporation of the WALKER MINING COMPANY, a Corporation organized under the Laws of the State of Arizona on October 18th. 1913 was filed in the Office of the County Clerk of Plumas Co. Cal., on February 24th. 1914, and bears the following endorsement:


" Filed in the Office of the Secretary of State of the State of California on Feb. 18th. 1914.

Frank C. Jordan

Secretary of State

By Frank H. Cory, Deputy"

PLUMAS COUNTY ABSTRACT CO.

By..........

MANAGER.

Copied from the Anacostia Geological Documents Collection, American Heritage Center, University of Wyoming. The material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

NOTICE OF QUARTZ MINING LOCATION

(Amended)

Notice is hereby given that the undersigned corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and regulations thereunder, and with the local customs, laws and regulations, has located and hereby claims under the name of

TWO POUNDER LODE

Fifteen Hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running 11.9 feet in a Southerly direction and 1486.15 feet in a northerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized Mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit:

Beginning at the Discovery Monument:- Thence Southerly 11.9 feet to the South End Center Stake Thence Southwesterly 315.73 feet to the S. W. corner. Identical with Cor. Nos. 4-2 Sur. No. 5582A Piute No. 1 and Digger Lodes, Thence Northerly 1498.05 feet to the N. W. corner, identical with Cor. No. 1 Sur. No. 5582A Piute No. 1 lode. Thence Northeasterly 315.73 feet to the North End Center Stake Thence Northeasterly 315.48 feet to the N. E. Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement. Thence Southerly 1498.05 feet to the S. E.

Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement. Thence Southwesterly 315.48 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928, and recorded July 25th. 1928 in Volume 17, page 303 (Quartz) in the office of the County Recorder of Plumas County, State of California.

Tis additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the point of discovery this 14th day of September, A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent.

Witnesses. W. F. Toole

H. Morstang.

No. 547 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932 at 32 min. past 10 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 259)

11

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and regulations thereunder and with the local customs laws and regulations, has located and hereby claims under the name of

THREE POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice posted at the point of Discovery and running 10.32 feet in a Southerly direction and 1487.73 feet in a Northerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized Mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit:

Beginning at the Discovery Monument:- Thence Southerly 10.32 feet to the South End Center Stake Thence Southwesterly 315.73 feet to the S. W. Corner, Identical with S. E. cor. Two Pounder Lode An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Northerly 1498.05 feet to the N. W. Corner. Identical with N. E. Cor. Two Pounder Lode. An iron pipe 1.25 inches in diam. painted red, set in the ground in cement. Thence Northeasterly 315.73 feet to the North End center stake. Thence Northeasterly 315.73 feet to the N. E. Corner. An iron pipe

1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1498.05 feet to the S. E. corner. An iron pipe
1.25 inches in diam., painted red, set in the ground in cement.
Thence southwesterly 315.73 feet to the South End Center Stake,
the place of closure.

This being the same lode located July 1st. 1928, and recorded
July 25th. 1928, in Volume 17, page 303 (Quartz) in the office
of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made
without waiver of any previously acquired rights, but for the pur-
pose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the Point of Discovery this
14th. day of September, A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer, Agent.

Witnesses: W. F. Toole

H. Morstang.

No. 548 Recorded at request of Walker Mining Co., by J. A.
Ingols, September 15, 1932 at 33 min. past 10 A. M. Compared.

M. Ella Peter Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 260)

NOTICE OF QUARTZ LOCATION.

Notice is hereby given that the undersigned, citizens of the United States, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and the regulations thereunder and with the local customs, laws and regulations, has located and hereby claim under the name of the

RED BIRD #1 (One) QUARTZ CLAIM

600 x 1500 linear feet of this ledge, commencing at this notice, posted at the point of discovery, and running on the line of the lode five feet in Northerly direction, and 1495 feet in a Southerly direction, together with 300 feet of surface ground on each side of said lode line.

The said location is situated in T. 25 N. R. 12 E., Plumas County, California, on surveyed ground of the United States, and particularly described as follows, to wit:

Comencing at this discovery and running northerly 5 ft. thence easterly 300 ft. to N. E. Corner post No 1 thence southerly 1500 ft to SE. corner post No 2 thence Westerly 600 ft to SW. corner post No 3 thence northerly 1500 ft to NW corner post No 4 thence easterly 300 ft thence southerly five feet to place of beginning. The discovery of this the Red Bird #one claim is about 300 ft. easterly and thence about 1500 ft northerly from the NW corner post of the Rob Extention lode claim U. S. Patent No. 4865 The Panama No one claim joins it on the south and the Digger Claim on the west.

Dated and posted at the point of discovery, this 15 day of

August A. D., 1926.

Walke_ Mining Company Locators

By H. O. Bemis Agent

Witness H. A. Geisendofer

No. 1065 Recorded at request of Walker Mng. Co. Sept. 7, 1926,
at 30 min. past 9 A. M. Compared.

H. L. Cate, Recorder.

(In Vol. 17 of QUARTZ CLAIMS, at Page 59)

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty Two of the Revised Statutes of the United States and Regulations thereunder and with the local customs, laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 1 LODE

Fifteen Hundred linear feet of this ledge, commencing at this notice, posted at the point of discovery and running 10.8 feet in a Northerly direction and 1488.79 feet in a Southerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized Mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit:

Beginning at the Discovery Monument :- Thence Northerly 10.8 feet to the North end Center Stake Identical with the South End Center Stake Two Pounder Lode. Thence Northeasterly 315.48 feet to the N. E. corner. Identical with S. E. Cor. Two Pounder Lode and S. W. Cor. Three Pounder Lode Thence Southerly 1499.59 feet to S. E. corner. Identical with Cor. No. 2 Sur. No. 5582A Panama No. 1 lode. Thence Southwesterly 315.48 feet to South end Center Stake Thence Southwesterly 315.73 feet to S. W. Corner. Identical with Cor. No. 1 Sur.No. 4865 Rob Extension lode and

with Cor. Nos. 1-1 Sur. No. 5582A Digger and Panama No. 1 lodes. Thence Northerly 1499.59 feet to N. W. corner. Identical with Cor. Nos. 4-2 Sur. No. 5582A Piute No. 1 and Digger lodes and with S. W. Cor. Two Pounder lode. Thence Northeasterly 315.73 feet to North End Center Stake, the place of closure.

This being the same lode located August 15th. 1926, and recorded September 7th. 1926 in Volume 17 page 59, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the point of discovery this 14th. day of September, A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent

Witnesses: W. F. Toole

H. Morstang

No. 549 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932, at 34 min. past 10 A. M. Compared.

M. Ella Peter Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 261.)

NOTICE OF LOCATION.

Notice is hereby given, that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the local laws, customs, and regulations of this district, has located fifteen hundred feet in length by 600 feet in width, on this the

RED BIRD NO. 13

Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated in Indian Township in the unorganized mining district, Plumas County, State of California, the location being described and marked on the ground as follows, to wit:

Beginning 1439 feet S 14° 09' E. of this location (Discovery) Monument, at the south end center monument, and running thence S 57° 23' W 316.285 feet to S. W. corner monument No. 1; thence N 14° 09' W 1500 feet to N. W. corner monument No. 2; thence N. 57° 23' E 316.285 feet to North end center monument; thence N 57° 23' E 316.285 feet to N. E. corner monument No. 3; thence S 14° 09' E 1500 feet to S. E. corner monument No. 4; thence S 57° 23' W 316.285 feet to place of beginning; including all Dips, Spurs, Angles and Variations.

The north end line of this claim coincides with the south end line of the Three Pounder claim of the A. B. Hardwick locations, the west side line of this claim coincides with the east side line of the One Pounder claim of the A. B. Hardwick location.

The above described Mining Claim shall be known as the Red Bird No. 13 Located this 30th day of May, 1929.

Copied from the Annotated Geological Documents Collection, American Heritage Center, University of Wyoming. The material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.

Names of Locators: A. B. Hardwick

Witness D. D. MacLellan.

No. 2135 Recorded at request of A. B. Hardwick, June 22, 1929,
at 4 min. past 9 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 18 of QUARTZ CLAIMS, at Page 2)

NOTICE OF LOCATION.

Notice is hereby given that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen hundred feet in length by 600 feet in width, on this the

PANAMA NO. 6

Lode, Vein or Deposit, bearing Gold, Silver, copper, lead and other valuable minerals, situated in Indian Township in the unorganized Mining District, Plumas County, State of California, the location being described and marked on the ground as follows, to wit:

Beginning 42 feet S. $14^{\circ} 09'$ E of this location (Discovery) Monument, at the south end center monument, and running thence S. $57^{\circ} 23'$ W 316.28 feet to S W corner monument No. 1; thence N $14^{\circ} 09'$ W 1500 feet to N. W. corner monument No. 2; thence N. $57^{\circ} 23'$ E 316.28 feet to North end center monument; thence N $57^{\circ} 23'$ E 316.28 feet to N.E. corner monument No. 3; thence S $14^{\circ} 09'$ E 1500 feet to S. E corner monument No. 4; thence S. $57^{\circ} 23'$ W 316.28 feet to place of beginning; including all Dips, Spurs, Angles and Variations.

The west side line of this claim coincides with the east side line of Panama No. 1 of the Walker Mining Co.

The above described Mining Claim shall be known as the PANAMA NO 6 Located this 30th day of May, 1929.

Names of Locators A. B. Hardwick

Witness: D. D. MacLellan.

No. 2133 Recorded at request of A. B. Hardwick, June 22, 1929,
at 1 min. past 9 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 18 of QUARTZ CLAIMS, at Page 1)

A. B. Hardwick and Fay Hardwick his) D E E D
 wife, of Salt Lake City, Utah)

to

Walker Mining Company, a Corpora-) Dated:- July 19th. 1929.
 tion of Arizona, duly authorized to) Consd., \$350.00
 do and doing business in the State) Vol. 62 Page 83
 of California.

" Grant, bargain, sell, remise, release and forever Quitclaim "

All those certain rights to land, mining claims and prop-
 erty containing gold, silver, lead, copper and other precious
 metals, situate in no organized Mining District, Plumas County,
 State of California, viz:

Panama No. 6 and Red Bird No. 13

(Now follows mention of mining claims not included under
 search.)

Said above named mining claims are more fully described in
 the notice of location thereof, which said notices of location
 of said Panama No. 6, and Red Bird No. 13 mining claims were duly
 recorded in the office of said County Recorder on June 22, 1929,
 in Vol. 18 of Quartz Claims, pages 1 and 2.

Together with all metals, ores, gold and silver bearing
 quartz, rock and earth therein; and all dips and spurs, rights,
 privileges and franchises, tenements, hereditaments and appurten-
 ances thereto incident or belonging or therewith used and enjoy-
 ed, and all the estate, right, title, interest, property, claim
 and demand whatsoever, legal and equitable as well in possession
 as in expectancy, of the part_ of the first part, of, in or to
 said premises, and every part thereof.

To have and to hold the same unto the party of the second

part, its successors and assigns forever.

And the said Fay Hardwick hereby relinquishes all her rights of survivorship, dower and substitute for dower, and grants and releases all interest and estates whatsoever, whether vested or inchoate, and forever bars the same.

In Witness Whereof, etc.

A. B. Hardwick (Seal)

Fay Hardwick (Seal)

Signed, Sealed and Delivered in
presence of Andrew N. Atkins.

ACKNOWLEDGED:-

July 19th. 1929.

A. B. Hardwick and Fay Hardwick, his wife, acknowledged before Andrew N. Atkins, a Notary Public in and for Salt Lake City, Utah. (Cert. of acknowledgment, " STATE OF CALIFORNIA " form, in usual form and sealed.)

RECORDED:-

July 31st. 1929.

At request of Plumas County Abstract Co., in Vol. 62 of DEEDS, at Page 83, Plumas Co. Cal. Records.

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 13 LODE

fifteen hundred lnear feet of this ledge, commencing at this notice, posted at the point of discovery and running 13.93 feet in a Northerly direction and 1485.66 feet in a Southerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit: Beginning at the Discovery Monument:-

Thence Northerly 13.93 feet to the North End center Stake Identical with the South End Center stake Three Pounder lode. Thence Northeasterly 315.73 feet to the N. E. corner. Identical with S. E. Cor. Three Pounder Lode. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Southerly 1499.59 feet to the S. E. corner. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Southwesterly 315.73 feet to the South End Center stake Thence Southwesterly 315.73 feet to the S. W. corner. Identical with Cor. No. 2

Sur. No. 5582 A Panama No. 1 lode. Thence Northerly 1499.59 feet to the N. W. corner. Identical with S. E. Cor. Two Pounder Lode and S. W. Cor. Three Pounder Lode. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Northeasterly 315.73 feet to the North End center stake the place of closure.

This being the same lode located May 30th 1929 and recorded June 22nd. 1929, in Volume 18, page 2 in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the Point of Discovery this 14th day of September A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent

Witnesses: W. F. Toole

H. Morstang

No. 550 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932 at 55 min. past 10 A. M. Compared.

M. Ella Peter Recorder

(In Vol. 19 of QUARTZ CLAIMS, at Page 262.)

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and the regulations thereunder, and with the local customs, laws and regulations has located and hereby claims under the name of

PANAMA NO. 6 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the point of Discovery and running 17.7 feet in a Southerly direction and 1451.73 feet in a Northerly direction together with 300 feet of surface ground on each side of said lode line.

The said Location is situated in no organized Mining District Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows to wit:

Beginning at the Discovery Monument: Thence Southerly 17.7 feet to the South End Center Stake. Thence Southwesterly 315.73 feet to the S. W. Corner. Identical with Cor. No. 3 Sur. No. 5582A Panama No. 1 Lode Thence Northerly 1469.43 feet to the N. W. Corner, identical with Cor. No. 2 Sur. No. 5582A Panama No. 1 lode and with S. E. Cor. Red Bird No. 1 Lode and with S. W. Cor. Red Bird No. 13 Lode thence Northeasterly 315.73 feet to North end Center Stake identical with South End Center stake Red Bird No. 13 lode Thence Northeasterly 315.73 feet to N. E. Cor. Identical

with S. E. Cor. Red Bird No. 13 lode An iron pipe 1.25 inches in diam. painted red, set in the ground in cement. Thence southerly 1469.43 feet to the S. E. Cor. An iron pipe 1.25 inches in diam. painted red, set in the ground in cement. Thence Southwesterly 315.73 feet to the south end center Stake the place of closure.

This being the same lode located May 30th. 1929 and recorded June 22nd. 1929 in Volume 18, page 2 in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location

Dated and posted on the lode at the point of discovery this 14th. day of September A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent

Witnesses : W. F. Toole

H. Morstang

No. 551 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932, at 36 min. past 10 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 263.)

ABSTRACTER'S CERTIFICATE.

State of California,)
County of Plumas.) SS.

WE HEREBY CERTIFY, that the foregoing Twenty-six (26) Pages contain full, true and correct copies of the following Notices of Location as of record in the Office of the County Recorder of Plumas County, California.

TWO POUNDER LODE, the Notice of Location of which was recorded on July 25th. 1928, in Vol. 17 of Quartz Claims, at Page 303, Plumas Co. Cal., Records.

TWO POUNDER LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 259, Plumas Co. Cal., Records.

THREE POUNDER LODE, the Notice of Location of which was recorded on July 25th. 1928, in Vol. 17 of Quartz Claims, at Page 303, Plumas Co. Cal., Records.

THREE POUNDER LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 260, Plumas Co. Cal, Records.

RED BIRD #1 (One) Quartz Claim, the Notice of Location of which was recorded on Sept. 7th. 1926, in Vol. 17 of Quartz Claims, at Page 59, Plumas Co., Records.

RED BIRD NO. 1 LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz

Claims, at Page 261, Plumas Co. Cal., Records.

RED BIRD NO. 13 LODE, the Notice of Location of which was recorded on June 22nd. 1929, in Vol. 18 of Quartz Claims, at Page 2, Plumas Co. Cal., Records.

RED BIRD NO. 13 LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 262, Plumas Co. Cal., Records.

PANAMA NO. 6 LODE, the Notice of Location of which was recorded on June 22nd. 1929, in Vol. 18 of Quartz Claims, at Page 1, Plumas Co. Cal., Records.


PANAMA NO. 6 LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 263, Plumas Co. Cal., Records.

ALSO, a full, true and correct Abstract of all Conveyances deeds, judgments, decrees or muniments of Title from the parties named in said Notices of Location, their successors in interest or assigns, from the dates of said Notices of Location as the same appear of record in the Office of said County Recorder.

WITNESS, Our hand and Private Seal this 7th. day of

June, A. D. 1935.

PLUMAS COUNTY ABSTRACT CO.,

By.....

MANAGER.

Copied from the Anacostia Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be restricted by United States copyright law. It is the responsibility of the researcher to obtain copyright approval prior to quotation or publication.